


# Study phases 1 and 3

- The following images were displayed to the examiners in Phase 1 and 2.
- Images order were randomized in each phase of the study
- Patients numbers were replaced by codes






PATIENT 1

Not processed


COD:05PW




PATIENT 1

Not processed

COD:05PW






PATIENT 1


Processed

COD:E2HN










PATIENT 2

Not processed

COD:ZJPP






PATIENT 2

Processed

COD:HZG7



120  
(mm)



R

240  
(mm)

120  
(mm)




2.00  
(mm)

PATIENT 3

Not processed


COD:OF10








PATIENT 3

Not processed


COD:OF10



25.63 26.63 27.63 28.63




Processed




PATIENT 3

Processed

COD:E2T4








PATIENT 4




Not processed

COD:BMEL



PATIENT 4


Not processed COD:BMEL



PATIENT 4

COD:WW4R




Processed





PATIENT 4


Processed

COD:WW4R













PATIENT 5

Not processed

COD:2G6R




Processed



PATIENT 5

Processed

COD:Y53S



Not processed

PATIENT 6






PATIENT 6

Processed




PATIENT 6

Not processed





PATIENT 6

Not processed




# PATIENT 6

Processed



PATIENT 6

Processed



PATIENT 7

Not processed




PATIENT 7

Processed




Not processed

PATIENT 7




Not processed

PATIENT 7




# PATIENT 7

Processed



PATIENT 7

Processed



PATIENT 8

Not processed






PATIENT 8

Not processed




PATIENT 8

Not processed




PATIENT 8

Processed



PATIENT 8

Processed








PATIENT 9

Not processed




PATIENT 9

Not processed




PATIENT 9

Processed



PATIENT 9

Processed



PATIENT 10

Not processed




PATIENT 10

Processed




Not processed

PATIENT 10




Not processed

PATIENT 10




PATIENT 10

Processed



PATIENT 10

Processed



# Study phase 3

- Images submitted and not submitted to imaging process were placed side-by-side
- Order of images was randomized

IMAGE B





IMAGE A



Not  
processed

IMAGEM B



Processed

IMAGEM A



IMAGE A



IMAGE B



Not  
processed

IMAGE A



Processed

IMAGE B



IMAGE A






IMAGE B



Not  
processed

IMAGEM B



Processed

IMAGEM A



IMAGEM A





IMAGEM B



Not  
processed

IMAGEM A



Processed

IMAGEM B




IMAGE B





IMAGE A




Not  
processed

IMAGEM B



Processed

IMAGEM A



PATIENT 6

Not  
processed

IMAGE A



Processed


IMAGE B



Not  
processe  
d


IMAGEM A

PATIENT 6



Processe  
d

IMAGEM B



PATIENT 7

Not  
processed

IMAGE A




Processed

IMAGE B



Not  
processed

IMAGE A



Processed

IMAGE B



Not  
processed

IMAGEM A




Processed

IMAGEM B



Not  
processed

IMAGEM A



Processed


IMAGEM B



PATIENT 8


Not  
processed

IMAGE A



Processed


IMAGE B



PATIENT 9


Not  
processed

IMAGEM A



Processed

IMAGEM B



PATIENT 9

Not  
processed

IMAGEM A



Processed


IMAGEM B



PATIENT 10


Not  
processed

IMAGEM A



Processed

IMAGEM B



PATIENT 10